



**CATHOLIC SECONDARY SCHOOLS ASSOCIATION  
2020 TRIAL HIGHER SCHOOL CERTIFICATE EXAMINATION  
MATHEMATICS ADVANCED – MARKING GUIDELINES**

These marking guidelines show the criteria to be applied to responses along with the marks to be awarded in line with the quality of responses. These guidelines are suggested and not prescriptive. This is not intended to be an exhaustive list but rather an indication of the considerations that students could include in their responses.

**Section I  
10 Marks**

**Questions 1-10 (1 mark each)**

<b>Question</b>	<b>Answer</b>	<b>Outcomes Assessed</b>	<b>Targeted Performance Bands</b>
1	D	MA11-3	2-3
2	D	MA11-2	2-3
3	C	MA1-4, MA12-5	3-4
4	A	MA11-5	3-4
5	B	MA11-3	3-4
6	A	MA11-2	3-4
7	A	MA11-7	3-4
8	D	MA12-1	4
9	B	MA12-7	4-5
10	C	MA12-1	5-6

**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

## Section II

90 Marks

**Question 11** (2 marks)

**Outcomes Assessed:** MA11-1

**Targeted Performance Bands:** 2-3

Criteria	Marks
• Correct answer	2
• Some progress towards the answer	1

*Sample answer:*

$$-1 \leq 2x - 3 \leq 1$$

$$2 \leq 2x \leq 4$$

$$1 \leq x \leq 2$$

**Question 12** (2 marks)

**Outcomes Assessed:** MA11-5

**Targeted Performance Bands:** 2-3

Criteria	Marks
• Correct answer	2
• Some progress towards the answer	1

*Sample answer:*

$$\begin{aligned} \frac{d}{dx} \left( \frac{e^x}{x^2 + 1} \right) &= \frac{e^x(x^2 + 1) - 2x(e^x)}{(x^2 + 1)^2} \\ &= \frac{e^x(x^2 - 2x + 1)}{(x^2 + 1)^2} \end{aligned}$$

### DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 13** (2 marks)

**Outcomes Assessed:** MA12-7

**Targeted Performance Bands:** 3-4

Criteria	Marks
• Correct answer	2
• Correctly integrates the function	1

**Sample answer:**

$$\begin{aligned}\int_{-1}^0 (3x^2 - 4x) dx &= [x^3 - 2x^2]_{-1}^0 \\ &= (0) - (-1 - 2) \\ &= 3\end{aligned}$$

**Question 14**


(a) (2 marks)

**Outcomes Assessed:** MA12-1

**Targeted Performance Bands:** 3

Criteria	Marks
• TWO correct lines marked on the graph	2
• ONE correct line marked on the graph	1

**Sample answer:**



**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 14**

(b) (1 mark)

**Outcomes Assessed: MA11-1****Targeted Performance Bands: 3**

Criteria	Mark
• Correct answer	1

**Sample answer:**

Break even = 4 items

**Question 15 (2 marks)****Outcomes Assessed: MA11-6****Targeted Performance Bands: 3-4**

Criteria	Marks
• Correct answer	2
• Correctly differentiates the curve	1

**Sample answer:**

$$y' = e^x \times \cos x + e^x \times \sin x$$

$$= e^x (\cos x + \sin x)$$

$$\text{at } x = 0, y' = e^0 (\cos 0 + \sin 0) = 1$$

so the gradient at  $x = 0$  is 1.

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 16** (2 marks)**Outcomes Assessed:** MA11-7**Targeted Performance Bands:** 3-4

Criteria	Marks
• Correct answer	2
• Some progress towards correct answer	1

**Sample answer:**

$$\begin{aligned}
 P(\text{sum} > 7) &= P(2, 6) + P(3, \geq 5) + P(4, \geq 4) \\
 &= \frac{1}{4} \times \frac{3}{6} + \frac{1}{4} \times \frac{2}{6} + \frac{1}{4} \times \frac{1}{6} \\
 &= \frac{1 \times (3 + 2 + 1)}{24} \\
 &= \frac{1}{4}
 \end{aligned}$$

**Question 17** (2 marks)**Outcomes Assessed:** MA12-6**Targeted Performance Bands:** 3-4

Criteria	Marks
• Correct answer and working	2
• Correct calculation of the standard deviation or other progress towards answer	1

**Sample answer:**

-2 to 1 = 3 standard deviations

3 standard deviations = 21 - 12 = 9

So each standard deviation is  $9 \div 3 = 3$  ( $\sigma = 3$ )

$$-2 = \frac{12 - \mu}{3}$$

$$-6 = 12 - \mu$$

$$\mu = 12 + 6$$

$$\mu = 18$$

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 18**

(a) (1 mark)

**Outcomes Assessed: MA12-6****Targeted Performance Bands: 3-4**

Criteria	Mark
• Correct answer	1

**Sample answer:**

$$\begin{aligned} \text{at } t = 0, C &= 21 + (74 \times 3^{-0.2 \times 0}) \\ &= 95^\circ\text{C} \end{aligned}$$

**Question 18**

(b) (1 mark)

**Outcomes Assessed: MA12-6****Targeted Performance Bands: 3-4**

Criteria	Mark
• Correct answer	1

**Sample answer:**

$$\begin{aligned} C &= 21 + (74 \times 3^{-0.2 \times 10}) \\ &= 21 + (74 \times 3^{-2}) \\ &= 29.2222\dots \\ &= 29^\circ\text{C (to the nearest degree)} \end{aligned}$$

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 18**

(c) (2 marks)

**Outcomes Assessed: MA12-6****Targeted Performance Bands: 3-4**

Criteria	Marks
• Correct answer	2
• Progress towards the correct answer	1

**Sample answer:**

$$50 = 21 + (74 + 3^{-0.2t})$$

$$\frac{29}{74} = 3^{-0.2t}$$

$$\log_3\left(\frac{29}{74}\right) = -0.2t$$

$$t = -5 \log_3\left(\frac{29}{74}\right)$$

$$= \frac{-5 \log_{10}\left(\frac{29}{74}\right)}{\log_{10} 3}$$

$$\approx 4 \text{ minutes and } 15 \text{ seconds}$$

$$\approx 4 \text{ minutes (nearest minute)}$$

**Question 19 (2 marks)****Outcomes Assessed: MA12-5****Targeted Performance Bands: 4-5**

Criteria	Marks
• Correct solution	2
• Some progress	1

**Sample answer:**

$$\text{LHS} = \frac{\sec \theta (1 - \cos^4 \theta)}{1 + \cos^2 \theta}$$

$$= \frac{1}{\cos \theta} (1 - \cos^2)$$

$$= \frac{1}{\cos \theta} \times \sin^2 \theta$$

$$= \sin \theta \tan \theta$$

$$= \text{RHS}$$

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 20**

(a) (2 marks)

**Outcomes Assessed: MA12-4****Targeted Performance Bands: 4**

Criteria	Marks
• Correct answer	2
• Some progress towards finding terms or sums	1

**Sample answer:**

$$S_1 = \frac{1 \times 10}{2} = 5$$

$$T_1 = 5$$

$$S_2 = \frac{2 \times 13}{2} = 13$$

$$T_2 = 13 - 5 = 8$$

$$S_3 = \frac{3 \times 16}{2} = 24$$

$$T_3 = 24 - 13 = 11$$

So, the first three terms are 5, 8 and 11.

**Question 20**

(b) (1 mark)

**Outcomes Assessed: MA12-4****Targeted Performance Bands: 3-4**

Criteria	Mark
• Correct answer	1

**Sample answer:**

$$\begin{aligned} T_n &= 5 + (n-1) \times 3 \\ &= 2 + 3n \end{aligned}$$

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.



**Question 21** (3 marks)

**Outcomes Assessed:** MA12-5

**Targeted Performance Bands:** 4-5

Criteria	Marks
• Correct answer	3
• ONE correct solution	2
• Correctly determines the acute-related angle, or some other progress	1

*Sample answer:*

$$\sin\left(x + \frac{\pi}{6}\right) = -\frac{\sqrt{3}}{2}$$

acute-related angle  $\left(x + \frac{\pi}{6}\right) = \frac{\pi}{3}$

$$x + \frac{\pi}{6} = \frac{4\pi}{3}, \frac{5\pi}{3}$$

$$x = \frac{7\pi}{6}, \frac{3\pi}{2}$$

**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.


**Question 22** (5 marks)

**Outcomes Assessed:** MA11-4

**Targeted Performance Bands:** 4

Criteria	Marks
• Correct answer and working	5
• Three correct answers for length $a$ , length $b$ , obtuse angle $130^\circ$ AND correct substitution in the cosine rule	4
• Three correct answers for length $a$ , length $b$ , obtuse angle $130^\circ$	3
• Two correct answers for length $a$ , length $b$ , obtuse angle $130^\circ$	2
• One correct answer for length $a$ , length $b$ , obtuse angle $130^\circ$	1

**Sample answer:**



$$\sin 30^\circ = \frac{12\,000}{a}$$


$$a = \frac{12\,000}{\sin 30^\circ}$$

$$a = 24\,000 \text{ m}$$

$$\sin 20^\circ = \frac{3\,000}{b}$$

$$b = \frac{3\,000}{\sin 20^\circ}$$

$$a \approx 8771.14 \text{ m (2 decimal places)}$$



$$x^2 = a^2 + b^2 - 2ab \cos X$$

$$x^2 = 24\,000^2 + 8771.4132^2 - 2 \times 24\,000 \times 8771.4132 \times \cos 130^\circ$$

$$x = 30390 \text{ m (to the nearest metre)}$$

**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 23** (3 marks)

(a) (2 marks)

**Outcomes Assessed:** MA12-7

**Targeted Performance Bands:** 4

Criteria	Mark
• Correct answer	2
• Some progress towards the correct answer	1

*Sample answer:*

$x$	0	0.5	1	1.5	2
$\sqrt{3^x + 1}$	1.41421	1.65289	2	2.48920	3.16227

$$R = \frac{0.5}{2} (1.41421 + 2(1.65289 + 2 + 2.48920) + 3.16227)$$
$$\approx 4.215165\dots$$
$$\approx 4.22 \text{ (to 2 decimal places)}$$

(b) (1 mark)

**Outcomes Assessed:** MA12-7, MA12-10

**Targeted Performance Bands:** 4

Criteria	Mark
• Correct answer	1

*Sample answer:*

Overestimation – trapezia are bigger than the curve. i.e. it is concave up.

DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 24** (5 marks)

(a) (1 marks)

**Outcomes Assessed: MA12-8**

**Targeted Performance Bands: 3**

Criteria	Mark
• Correct answer	1

**Sample answer:**

$$r = 0.63$$

(b) (2 marks)

**Outcomes Assessed: MA12-8**

**Targeted Performance Bands: 3**

Criteria	Marks
• Correct values and correct equation	2
• Correct gradient and/or correct y-intercept	1

**Sample answer:**

$$m = 0.51$$

$$c = 40.16$$

$$y = 0.51x + 40.16$$

(c) (1 mark)

**Outcomes Assessed: MA12-8**

**Targeted Performance Bands: 3-4**

Criteria	Mark
• Correct gradient and/or correct y-intercept	1

**Sample answer:**

The correlation coefficient will be lower/weaker when the additional student is included in the data.  
The value is now  $r = 0.009$

**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

(d) (1 mark)

**Outcomes Assessed: MA12-8**

**Targeted Performance Bands: 4-5**

Criteria	Mark
• Correct gradient and/or correct $y$ -intercept	1

**Sample answer:**

Disagree. The original data indicated that there might be a correlation. However, when the additional student is included, it seems that there is almost no correlation between driving hours and marks in Visual Arts.

**Question 25** (4 marks)

(a) (1 mark)

**Outcomes Assessed: MA12-6**

**Targeted Performance Bands: 4**

Criteria	Mark
• Correct answer	1

**Sample answer:**

$$v = \frac{dx}{dt} = 1 - 2e^{-2t}$$

(b) (3 marks)

**Outcomes Assessed: MA12-6**

**Targeted Performance Bands: 4**

Criteria	Marks
• Correct answer with reasoning	3
• Find the correct time	2
• Some progress towards the correct answer	1

**Sample answer:**

Possible min at

$$\begin{aligned}v &= 0 \\0 &= 1 - 2e^{-2t} \\e^{-2t} &= \frac{1}{2} \\e^{2t} &= 2 \\2t &= \ln 2 \\t &= \frac{1}{2} \ln 2\end{aligned}$$

$a = 4e^{-2t}$ , which is positive for all  $t$ . So any turning point is a global minimum.

**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 26** (2 marks)**Outcomes Assessed:** MA12-1**Targeted Performance Bands:** 3-4

Criteria	Marks
• Correct solution	2
• Some progress towards the correct answer	1

**Sample answer:**

$$g(f(x)) = \frac{1}{\sqrt{5x-2}}$$

$$\text{so } 5x - 2 > 0$$

$$5x > 2$$

$$x > \frac{2}{5}$$

**Question 27** (7 marks)

(a) (3 marks)

**Outcomes Assessed:** MA12-6, MA11-7**Targeted Performance Bands:** 4

Criteria	Marks
• Correctly determines both stationary points and their nature	3
• Correctly determines one stationary point and its nature	2
• Correctly determines a stationary point	1

**Sample answer:**

$$\begin{aligned} y' &= 2(x+1)(x-5) + (x+1)^2 \\ &= (x+1)[2x-10+x+1] \\ &= 3(x+1)(x-3) \end{aligned}$$

Stationary point at  $x = -1, 3$ 

$$y' = 3(x^2 - 2x - 3)$$

$$y'' = 3(2x - 2) = 6(x - 1)$$

at  $x = -1, y'' = -12 < 0$  so a local MAXIMUMat  $x = 3, y'' = 12 > 0$  so a local MINIMUM

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

(b) (2 marks)

**Outcomes Assessed: MA12-6, MA11-7**

**Targeted Performance Bands: 4**

Criteria	Marks
• Correct solution	2
• Solves $y'' = 0$	1

**Sample answer:**

Possible point of inflection at  $y'' = 0 = 6(x-1)$ , ie when  $x = 1$ .

$x$	0	1	2
$y''$	-6	*	6
concavity	down	*	up

Concavity changes so there is a point of inflection at (1,-16)

DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.


(c) (2 marks)

**Outcomes Assessed:** MA12-6, MA11-7

**Targeted Performance Bands:** 4

Criteria	Marks
• Correct solution	2
• Correct shape, or labels a correct point	1

**Sample answer:**



**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.



**Question 28** (3 marks)**Outcomes Assessed:** MA11-1, MA12-2**Targeted Performance Bands:** 3-4

Criteria	Marks
• Correct solution	3
• TWO correct values of either $h$ , $k$ or $r$ .	2
• ONE correct values of either $h$ , $k$ or $r$ .	1

**Sample answer:**

$$x^2 + 8x + 16 + y^2 - 4y + 4 = 29 + 64 + 4$$

$$(x+4)^2 + (y-2)^2 = 49$$

Translate three units up and five units right

$$(x+4-5)^2 + (y-2-3)^2 = 49$$

$$(x-1)^2 + (y-5)^2 = 7^2$$

**Question 29** (6 marks)

(a) (2 marks)

**Outcomes Assessed:** MA12-8, MA12-7**Targeted Performance Bands:** x

Criteria	Marks
• Correctly shows that $k = 6$	2
• Some progress towards the solution	1

**Sample answer:**

$$\begin{aligned} \frac{1}{36} \int_0^k (kx - x^2) dx &= \frac{1}{36} \left[ \frac{kx^2}{2} - \frac{x^3}{3} \right]_0^k \\ &= \frac{1}{36} \left[ \frac{k^3}{2} - \frac{k^3}{3} \right] = \frac{1}{36} \left[ \frac{3k^3 - 2k^3}{6} \right] = \frac{k^3}{216} \end{aligned}$$

$$\text{so } \frac{k^3}{216} = 1$$

$$k = \sqrt[3]{216}$$

$$k = 6$$

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

(b) (1 marks)


**Outcomes Assessed: MA12-8**

**Targeted Performance Bands: 4-5**

Criteria	Mark
• Correct answer	1

**Sample answer:**

$$E(X) = 3$$



(c) (3 marks)

**Outcomes Assessed: MA12-8**

**Targeted Performance Bands: 4-5**

Criteria	Marks
• Correct answer	3
• Some progress towards the answer	1-2

**Sample answer:**

$$\text{var}(X) = E(X^2) - E(X)^2$$

$$E(X^2) = \frac{1}{36} \int_0^6 x^3 (6-x) dx$$

$$= \frac{1}{36} \int_0^6 (6x^3 - x^4) dx$$

$$= \frac{1}{36} \left[ \frac{3x^4}{2} - \frac{x^5}{5} \right]_0^6$$

$$= \frac{1}{36} \left[ 1944 - \frac{7776}{5} \right]$$

$$= 10.8$$

$$\text{var}(X) = 10.8 - 9$$

$$= 1.8$$

DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 30** (3 marks)

**Outcomes Assessed:** MA12-8

**Targeted Performance Bands:** 4-5

Criteria	Marks
• Correct answer	3
• Correctly determines z-scores or one of the probabilities	2
• Some progress towards the correct answer.	1

*Sample answer:*

$$\text{Chickens} > 1.6\text{kg}: z = \frac{1.6 - 1.56}{0.025} = 1.6$$

$$\text{Chickens} < 1.5\text{kg}: z = \frac{1.5 - 1.56}{0.025} = -2.4$$

So, the probability of incorrectly classifying a size 15 chicken is:

$$\begin{aligned} 1 - P(-2.4 < z < 1.6) &= P(z < -2.4) + P(z > 1.6) \\ &= 0.0082 + 0.0548 \\ &= 0.063 \end{aligned}$$


**Question 31** (2 marks)

**Outcomes Assessed:** MA12-1

**Targeted Performance Bands:** 3-4

Criteria	Marks
• Correct diagram with intercepts and maximum turning point labelled	2
• Correct shape, or two correct coordinates.	1

*Sample answer:*



**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 32** (6 marks)

(a)(3 marks)

**Outcomes Assessed: MA12-4****Targeted Performance Bands: 4-5**

Criteria	Marks
• Shows the expressions correctly	3
• Finds the sum of the GP	2
• Some progress towards the solution	1

**Sample answer:**

$$A_0 = 650\,000$$

$$A_1 = 650\,000(1.005) - 4200$$

$$A_2 = (650\,000(1.005) - 4200) \times 1.005 - 4200$$

$$= 650\,000(1.005)^2 - 4200(1.005 + 1)$$

$$\vdots$$

$$A_n = 650\,000(1.005)^n - 4200(1.005^{n-1} + 1.005^{n-2} + \dots + 1.005 + 1)$$

$$= 650\,000(1.005)^n - 4200 \left( \frac{1.005^n - 1}{1.005 - 1} \right)$$

$$= 650\,000(1.005)^n - 840\,000(1.005^n - 1)$$

$$= 840\,000 - 190\,000 \times 1.005^n$$

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

(b)(3 marks)

**Outcomes Assessed: MA11-6, MA12-4**

**Targeted Performance Bands: 4-5**

Criteria	Marks
• Correct answer	3
• Correct expression for $(1.005)^n$	2
• Determines the new balance or some progress towards the answer	1

**Sample answer:**

Let  $B_n$  be the amount owing after  $n$  **further** months ( $B_0 = 573\,722$ )

$$B_n = 573\,722(1.005)^n - 840\,000(1.005^n - 1)$$

Paid off when  $B_n = 0$

$$0 = 573\,722(1.005)^n - 840\,000(1.005^n - 1)$$

$$(1.005)^n = \frac{840\,000}{840\,000 - 573\,722}$$

$$n = \ln\left(\frac{840\,000}{840\,000 - 573\,722}\right) \div \ln(1.005)$$

$$\approx 230.4 \text{ months}$$

Therefore the loan is paid off after an extra **231 months**.

**Question 33** (6 marks)

(a)(1 mark)

**Outcomes Assessed: MA12-7**

**Targeted Performance Bands: 4-5**

Criteria	Mark
• Correct answer	1

**Sample answer:**

$$\begin{aligned}(x^2 + 3x - 4)(x - 3) &= x^3 + 3x^2 - 4x - 3x^2 - 9x + 12 \\ &= x^3 - 13x + 12\end{aligned}$$

DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

(b)(5 marks)

**Outcomes Assessed: MA12-7**

**Targeted Performance Bands: 4-5**

Criteria	Marks
• Correct answer	5
• Correct area formula AND integrated correctly, with correct bounds	4
• Correct area formula and attempt to integrate correctly	3
• Some progress towards points of intersection	2
• Makes some progress towards the answer	1

**Sample answer:**

$$\frac{12}{x} = 13 - x^2$$

$$12 = 13x - x^3$$

$$x^3 - 13x + 12 = 0$$

$$(x+1)(x-1)(x-3) = 0$$

$$x = 1, 3 \text{ and } 4$$

$$y = 12, 4 \text{ and } -3$$

$$A = \int_1^3 (13 - x^2) - \left(\frac{12}{x}\right) dx$$

$$= \left[ 13x - \frac{x^3}{3} - 12 \ln x \right]_1^3$$

$$= (39 - 9 - 12 \ln 3) - \left( 13 - \frac{1}{3} - 0 \right)$$

$$= 17\frac{1}{3} - 12 \ln 3$$

So the points of intersection are (1, 12), (3, 4) and (-4, -3).

**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 34** (2 marks)**Outcomes Assessed:** MA11-6**Targeted Performance Bands:** 4

Criteria	Marks
• Correct solution	2
• Some progress towards correct answer	1

**Sample answer:**

$$\frac{\ln x}{\ln 3} + \frac{\ln x}{\ln 3^2} = 12$$

$$\frac{\ln x}{\ln 3} + \frac{\ln x}{2 \ln 3} = 12$$

$$\frac{2 \ln x + \ln x}{2 \ln 3} = 12$$

$$3 \ln x = 24 \ln 3$$

$$\ln x = 8 \ln 3$$

$$x = 3^8$$

**Question 35** (2 marks)**Outcomes Assessed:** MA11-7**Targeted Performance Bands:** 4-6

Criteria	Marks
• Correct answer	2
• Some progress towards correct answer	1

**Sample answer:**Let  $E = 4$  appears at least onceLet  $F =$  the sum of the numbers is 6

$$E = \{(4,1), (4,2), (4,3), (4,4), (4,5), (4,6), (1,4), (2,4), (3,4), (5,4), (6,4)\}$$

$$F = \{(1,5), (2,4), (3,3), (4,2), (5,1)\}$$

$$E \cap F = \{(2,4), (4,2)\}$$

$$P(E) = \frac{11}{36}, P(F) = \frac{5}{36} \quad \text{and} \quad P(E \cap F) = \frac{2}{36}$$

$$P(E|F) = \frac{P(E \cap F)}{P(F)} = \frac{\frac{2}{36}}{\frac{5}{36}} = \frac{2}{5}$$

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**Question 36** (3 marks)**Outcomes Assessed:** MA11-4, MA12-5**Targeted Performance Bands:** 4-6

Criteria	Marks
• Correct solution	3
• Correct expression for $SG$ or $OG$	2
• Some progress towards correct answer	1

**Sample answer:**Let  $LG = h$ .In  $\triangle OGL$ ,  $OG = 3\sqrt{3} \times \cos \alpha$  and  $OG = \sqrt{(3\sqrt{3})^2 - h^2}$  (By Pythagoras' theorem)In  $\triangle SGL$ ,  $SG = \sqrt{y^2 - h^2}$  (By Pythagoras' theorem)In  $\triangle OSG$ , by the cosine rule:

$$SG^2 = OG^2 + OS^2 - 2 \times OG \times OS \times \cos 30^\circ$$

$$y^2 - h^2 = (3\sqrt{3})^2 - h^2 + 10^2 - 2 \times 3\sqrt{3} \cos \alpha \times 10 \times \frac{\sqrt{3}}{2}$$

$$y^2 = 27 + 100 - \frac{90}{2}$$

$$y = \sqrt{82}$$

$$\approx 9.055385\dots$$

$$\approx 9 \text{ m (to the nearest metre)}$$

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.



**Question 37 (4 marks)****Outcomes Assessed: MA11-4, MA12-5****Targeted Performance Bands: 4-6**

Criteria	Marks
• Correct solution	4
• Correctly determines the first and second derivative	3
• Makes some progress towards an expression for the cost	2
• Some progress towards correct answer	1

**Sample answer:**

$$S = \frac{D}{T}, \text{ so } T = \frac{1200}{v} \text{ hours}$$

$$\text{Cost of wages} = 55 \times 2 \times \frac{1200}{v} = \frac{132\,000}{v}$$

$$\text{Cost of fuel} = \left(10 + \frac{v^2}{100}\right) \times \frac{1200}{v} \times 1.50$$

$$= \left(10 + \frac{v^2}{100}\right) \times \frac{1800}{v}$$

$$= \frac{18\,000}{v} + 18v$$

$$\text{Total cost} = \frac{150\,000}{v} + 18v$$

$$\frac{dC}{dv} = \frac{-150\,000}{v^2} + 18$$

$$\text{stationary at } \frac{dC}{dv} = 0$$

$$18v^2 = 150\,000$$

$$v^2 = \frac{150\,000}{18}$$

$$v \approx 91.287\dots$$

$$v \approx 91 \text{ km/h}$$

$$\text{so MINIMUM cost} = \frac{150\,000}{91} + 18 \times 91$$

$$\approx 3286.3516\dots$$

$$\approx \$3286 \text{ (to the nearest dollar)}$$

$$\frac{d^2C}{dv^2} = \frac{300\,000}{v^3}$$

$$\text{at } v = 91, \frac{d^2C}{dv^2} = \frac{300\,000}{91^3} > 0 \text{ so a MINIMUM when } v = 91 \text{ km/h}$$

## DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

BLANK PAGE

-26-

**DISCLAIMER**

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NESA. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

**6100-2**