

Year 2003

VCE

Mathematical Methods

Trial Examination 2



KILBAHA PTY LTD (Publishers in Education)
ABN 47 065 111 373
PO BOX 2227 KEW VIC 3101
AUSTRALIA

TEL: (03) 9817 5374
FAX: (03) 9817 4334
chemas@chemas.com
www.chemas.com

© Kilbaha Pty Ltd 2003

IMPORTANT COPYRIGHT NOTICE

- This material is copyright. Subject to statutory exception and to the provisions of the relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Kilbaha Pty Ltd.
 - The contents of this work are copyrighted. Unauthorised copying of any part of this work is illegal and detrimental to the interests of the author.
 - For authorised copying within Australia please check that your institution has a licence from Copyright Agency Limited. This permits the copying of small parts of the material, in limited quantities, within the conditions set out in the licence.
 - Teachers and students are reminded that for the purposes of school requirements and external assessments, students must submit work that is clearly their own.
 - Schools which purchase a licence to use this material may distribute this electronic file to the students at the school for their exclusive use. This distribution can be done either on an Intranet Server or on media for the use on stand-alone computers.
 - Schools which purchase a licence to use this material may distribute this printed file to the students at the school for their exclusive use.
-
- **The Word file is supplied to schools for use ONLY within the school**
 - **It may be modified to suit the school syllabus and for teaching purposes.**
 - **All modified versions of the file must carry this copyright notice**
 - **Commercial used of this material is expressly prohibited**

STUDENT NUMBER

Letter

Figures									
Words									

**VICTORIAN CERTIFICATE OF EDUCATION
2003**

MATHEMATICAL METHODS

Trial Written Examination 2 (Analysis task)

Reading time: 15 minutes

Total writing time: 1 hour 30 minutes

QUESTION AND ANSWER BOOK

Structure of book

<i>Number of questions</i>	<i>Number of questions to be answered</i>
4	4

Directions to students

Materials

Question and answer book of 12 pages.

Working space is provided throughout the book.

There is a detachable sheet of miscellaneous formula supplied.

You may bring to the examination up to four pages (two A4 sheets) of pre-written notes.

You may use an approved scientific and/or graphics calculator, ruler, protractor, set-square and aids for curve-sketching.

The task

Detach the formula sheet from the book during reading time.

Please ensure that your **student number** in the space provided on the front cover of this book.

Answer **all** questions

The marks allotted to each part of each question are indicated at the end of the part.

There is a total of 55 marks available for the examination.

A decimal approximation will not be accepted if an **exact** answer is required to a question.

Where an exact answer is required to a question, appropriate working must be shown and calculus must be used to evaluate derivatives and definite integrals.

Unless otherwise indicated, the diagrams in this book are **not** drawn to scale.

All written responses should be in English.

MATHEMATICAL METHODS

Written examinations 1 and 2

FORMULA SHEET

Directions to students

Detach this formula sheet during reading time.

This formula sheet is provided for your reference.

Mathematical Methods Formulas

Mensuration

area of a trapezium: $\frac{1}{2}(a + b)h$	volume of a pyramid: $\frac{1}{3}Ah$
curved surface area of a cylinder: $2\pi rh$	volume of a sphere: $\frac{4}{3}\pi r^3$
volume of a cylinder: $\pi r^2 h$	area of a triangle: $\frac{1}{2}bc \sin A$
volume of a cone: $\frac{1}{3}\pi r^2 h$	

Calculus

$\frac{d}{dx}(x^n) = nx^{n-1}$	$\int x^n dx = \frac{1}{n+1} x^{n+1} + c, n \neq -1$
$\frac{d}{dx}(e^{ax}) = ae^{ax}$	$\int e^{ax} dx = \frac{1}{a} e^{ax} + c$
$\frac{d}{dx}(\log_e x) = \frac{1}{x}$	$\int \frac{1}{x} dx = \log_e x + c, \text{ for } x > 0$
$\frac{d}{dx}(\sin ax) = a \cos ax$	$\int \sin ax dx = -\frac{1}{a} \cos ax + c$
$\frac{d}{dx}(\cos ax) = -a \sin ax$	$\int \cos ax dx = \frac{1}{a} \sin ax + c$
$\frac{d}{dx}(\tan ax) = \frac{a}{\cos^2 ax} = a \sec^2 ax$	

product rule: $\frac{d}{dx}(uv) = u \frac{dv}{dx} + v \frac{du}{dx}$

chain rule: $\frac{dy}{dx} = \frac{dy}{du} \frac{du}{dx}$

quotient rule: $\frac{d}{dx}\left(\frac{u}{v}\right) = \frac{v \frac{du}{dx} - u \frac{dv}{dx}}{v^2}$

approximation: $f(x + h) \approx f(x) + hf'(x)$

Statistics and Probability

$\Pr(A) = 1 - \Pr(A')$

$\Pr(A \cup B) = \Pr(A) + \Pr(B) - \Pr(A \cap B)$

$\Pr(A|B) = \frac{\Pr(A \cap B)}{\Pr(B)}$

mean: $\mu = E(X)$

variance: $\text{var}(X) = \sigma^2 = E((X - \mu)^2) = E(X^2) - \mu^2$

Discrete distributions			
	Pr(X = x)	mean	variance
general	$p(x)$	$\mu = \sum x p(x)$	$\sigma^2 = \sum (x - \mu)^2 p(x)$ $= \sum x^2 p(x) - \mu^2$
binomial	${}^n C_x p^x (1 - p)^{n-x}$	np	$np(1 - p)$
hypergeometric	$\frac{{}^D C_x {}^{N-D} C_{n-x}}{{}^N C_n}$	$n \frac{D}{N}$	$n \frac{D}{N} \left(1 - \frac{D}{N}\right) \frac{N - n}{N - 1}$
Continuous distributions			
normal	If X is distributed $N(\mu, \sigma^2)$ and $Z = \frac{X - \mu}{\sigma}$, then Z is distributed $N(0, 1)$.		

Table I Normal distribution – cdf


x	0	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	9
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359	4	8	12	16	20	24	28	32	36
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753	4	8	12	16	20	24	28	32	35
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141	4	8	12	15	19	23	27	31	35
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517	4	8	11	15	19	23	26	30	34
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879	4	7	11	14	18	22	25	29	32
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224	3	7	10	14	17	21	24	27	31
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549	3	6	10	13	16	19	23	26	29
0.7	.7580	.7611	.7642	.7673	.7703	.7734	.7764	.7793	.7823	.7852	3	6	9	12	15	18	21	24	27
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133	3	6	8	11	14	17	19	22	25
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389	3	5	8	10	13	15	18	20	23
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621	2	5	7	9	12	14	16	18	21
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830	2	4	6	8	10	12	14	16	19
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015	2	4	6	7	9	11	13	15	16
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177	2	3	5	6	8	10	11	13	14
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319	1	3	4	6	7	8	10	11	13
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441	1	2	4	5	6	7	8	10	11
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545	1	2	3	4	5	6	7	8	9
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633	1	2	3	3	4	5	6	7	8
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706	1	1	2	3	4	4	5	6	6
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767	1	1	2	2	3	4	4	5	5
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817	0	1	1	2	2	3	3	4	4
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857	0	1	1	2	2	2	3	3	4
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890	0	1	1	1	2	2	2	3	3
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916	0	1	1	1	1	2	2	2	2
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936	0	0	1	1	1	1	1	2	2
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952	0	0	0	1	1	1	1	1	1
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964	0	0	0	0	1	1	1	1	1
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974	0	0	0	0	0	1	1	1	1
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981	0	0	0	0	0	0	0	1	1
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986	0	0	0	0	0	0	0	0	0
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990	0	0	0	0	0	0	0	0	0
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993	0	0	0	0	0	0	0	0	0
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995	0	0	0	0	0	0	0	0	0
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997	0	0	0	0	0	0	0	0	0
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998	0	0	0	0	0	0	0	0	0
3.5	.9998	.9998	.9998	.9998	.9998	.9998	.9998	.9998	.9998	.9998	0	0	0	0	0	0	0	0	0
3.6	.9998	.9998	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	0	0	0	0	0	0	0	0	0
3.7	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	0	0	0	0	0	0	0	0	0
3.8	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	0	0	0	0	0	0	0	0	0
3.9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0	0	0	0	0	0	0	0	0

END OF FORMULA SHEET

Question 1

a. The size of the population of a country can be modeled by the equation $P(t) = 50e^{0.05t}$ where P is the population measured in millions of people, and t is the time in years measured from 2003.

i. Sketch the graph of $y = P(t)$ on the given axes, showing all intercepts with the axes.



2 marks

ii. What is the predicted population for 2008? Give your answer to the nearest million.

1 mark

iii At what average rate is it expected that the population will increase between 2003 and 2008? Give your answer to one decimal place.

3 marks

Question 1

a. (continued)

iv At what instantaneous rate is the population expected to grow in 2023? Give an exact answer.

2 marks

b. In the same country earthquakes are common. The intensity of an earthquake is rated by its measurement on the Richter scale, R , where $R = \log_{10}\left(\frac{a}{T}\right) + B$. a is the amplitude (in micrometres) of the vertical ground motion at the receiving station, T is the period of the seismic wave (in seconds) and B is a factor that accounts for the weakening of the seismic wave with increasing distance from the epicentre of the earthquake.

i. What would the Richter scale reading be for an earthquake with an amplitude of 3×10^6 micrometres, a period of 3×10^{12} seconds and where $B = 12$?

2 marks

ii. In terms of a what would the Richter scale reading be for an earthquake with an amplitude of a hundred times a micrometres, and the same values of T and B as in **part i.**?

1 mark

Question 2.

The annual rainfall in the country of *Aradulia* is normally distributed and the mean annual rainfall over a large number of years has been determined to be 310cm, with a standard deviation of 80cm. Drought conditions occur in *Aradulia* when the annual rainfall is less than 150cm.

- a What is the probability in a year selected at random that drought conditions will occur?
Give your answer to one significant figure.

2 marks

- b. What is the probability that in any 10 years, drought conditions will occur in *Aradulia* in exactly 4 of those years? Give your answer to four decimal places.

2 marks

- c. If it is known that that the rainfall was less than 310 cm in one particular year in *Aradulia*, what is the probability that drought conditions occurred in that year. Give your answer to four decimal places.

3 marks

- d. Because of the increasing population in *Aradulia*, the demand for water is predicted to increase linearly. This demand can be modeled by the equation $r(t) = 30t + 220$, where $r(t)$ is the annual rainfall needed to meet the demand for water t years after 2003. Find the probability that the annual rainfall will satisfy the demand in 2010.

4 marks


- e. The probability that less than a certain amount of rainfall fell in *Aradulia* in 2002 was known to be 0.346. How much rainfall was there in *Aradulia* during that year?

3 marks

(Total = 14 marks)

Question 3 (continued)

- c. Sketch the graph of C against x on the axes below for $0 < x \leq 10,000$. Show the point on the graph where $x = 10,000$.



2 marks

Question 3 (continued)

- f. Using the result from part e or otherwise, find the number of chips that must be produced for the cost to be \$300 per chip.

1 mark

(Total = 10 marks)

Question 4

Consider the function $f: \mathfrak{R} \rightarrow \mathfrak{R}, f(t) = \log_e \sin[2\pi(t + 0.5)]$

- a. Identify one of the largest possible continuous domain that contains $t = -0.25$ for the function $f(t)$

3 marks

- b. Explain why the domain of $f(t)$ cannot be continuous over \mathfrak{R}

1 mark

Question 4 (continued)

- f. If $f(t) = \log_e \sin[2\pi(t + 0.5)]$ where $-0.25 < t < 0$ then find the rule $g(t)$ for the reflection of this graph in the line $y = t$

3 marks

- g. Explain why the domain of $g(t)$ is $-\infty < t \leq 0$.

2 marks

Question 4 (continued)

h. Explain what happens to $g(t)$ as $t \rightarrow -\infty$

2 marks

(Total = 16 marks)

**End of 2003 Mathematical Methods Trial Examination 2
Question and Answer Book**

**KILBAHA PTY LTD (Publishers in Education)
ABN 47 065 111 373
PO BOX 2227 KEW VIC 3101
AUSTRALIA**

**TEL: (03) 9817 5374
FAX: (03) 9817 4334
chemas@chemas.com
www.chemas.com**