

Trial Examination 2012

VCE Physics Unit 2

Written Examination

Question and Answer Booklet

Reading time: 15 minutes
Writing time: 1 hour 30 minutes

Student's Name: _____

Teacher's Name: _____

Structure of Booklet

Section	Number of questions	Number of questions to be answered	Number of marks
A Core – Areas of study			
1. Motion	19	19	38
2. Wave-like properties of light	14	14	28
B Detailed studies			
1. Astronomy OR	12	12	24
2. Astrophysics OR	12	12	24
3. Energy from the nucleus OR	12	12	24
4. Investigations: Flight OR	12	12	24
5. Investigations: Sustainable energy sources OR	12	12	24
6. Medical physics	12	12	24
			Total 90

Students are permitted to bring into the examination room: pens, pencils, highlighters, erasers, sharpeners, rulers, up to two pages (one A4 sheet) of pre-written notes (typed or handwritten) and one scientific calculator.

Students are NOT permitted to bring into the examination room: blank pieces of paper and/or white out liquid/tape.

Materials supplied

Question and answer booklet of 40 pages.

Answer sheet for multiple-choice questions.

Formula sheet.

Instructions

Please ensure that you write your **name** and your **teacher's name** in the space provided on this booklet and on the answer sheet for multiple-choice questions.

Always show your working where space is provided.

Where an answer box has a unit printed in it, give your answer in that unit.

All written responses must be in English.

Students are NOT permitted to bring mobile phones and/or any other unauthorised electronic devices into the examination room.

SECTION A – CORE

Instructions for Section A

Answer **all** questions **for both** Areas of study in this section of the paper.

Where an answer box has a unit printed in it, give your answer in that unit.

You should take the value of g to be 10 m s^{-2} .

In questions where more than one mark is available, appropriate working should be shown.

Areas of study	Page
Motion	3
Wave-like properties of light	10

Area of study 1 – Motion

The following information relates to Questions 1 to 5.

Ming and Matt are together running laps of the local football oval. After three laps they have a rest. Ming says, “We’ve run three laps of 400 m each – that adds up to 1200 m. Not bad!” But Matt replies, “No way. We are back where we started so we haven’t moved at all!”

Question 1

Explain why both Ming and Matt are correct. In your answer you must refer to both vectors and scalars.

2 marks

It took Ming and Matt ten minutes to run three laps of the oval.

Question 2

What was Matt and Ming’s average speed while running their laps in m s^{-1} ?

m s^{-1}

2 marks

Question 3

What was their velocity in m s^{-1} ?

m s^{-1}

1 mark

Below is a graph representation of Ming doing a 100 m sprint.

Ming's 100 m sprint




Figure 1

Question 4

Ming continues to run at full speed for some time after the 100 m mark is reached.

At what time did Ming cross the 100 m mark?

s

3 marks

Question 5

What was Ming's acceleration in the first two seconds of this sprint?

m s^{-2}

2 marks

The following information relates to Questions 6 to 9.

A piano is pushed up a ramp into a truck, as shown in Figure 2.




Figure 2

The men pushing the piano up the ramp use a combined constant force of 2500 N. The piano moves with a constant velocity.

Question 6

How much work is done by the men as they push the piano up the ramp a distance L ?

kJ

2 marks

The piano has a mass of 350 kg.

Question 7

How much gravitational energy does the piano gain as it reaches the top of the ramp?

kJ

2 marks

Question 8

Calculate the average frictional force experienced by the piano as it is being pushed along the ramp.

N

3 marks

Question 9

Four men manage to get the piano up the ramp in fifty seconds.

What is the average power used by each man?

W

2 marks

The following information relates to Questions 11 to 15.

A tennis ball of mass 40 g is hit against a solid brick wall with a velocity of 20 m s^{-1} . It bounces back with a speed of 18 m s^{-1} .

Question 10

What is the impulse exerted on the ball by the wall during the collision?

kg m s^{-1}

2 marks

The ball is in contact with the wall for 0.05 s.

The force–time graph below shows how the force of impact varies with time.




Figure 3

Question 11

Calculate the maximum force experienced by the ball during the collision.

2 marks

Question 12

What was the acceleration of the ball at time = 0.025 s?

2 marks

Question 13

What was the average acceleration of the ball during the collision?

2 marks

Question 14

How much kinetic energy was lost during this collision?

2 marks

Question 15

Explain what would have happened to this energy.

1 mark

The following information relates to Questions 16 to 19.

Professor Calculus from the Tintin stories often carried a pendulum. When he was inside an accelerating train he would have noticed the pendulum pulling away from the vertical, as shown in Figure 4.




Figure 4

Question 16

Using the directions given on the diagram, state the direction of the net force acting on the pendulum, or whether the net force is zero. Explain your choice.

2 marks

Question 17

From the information provided, calculate the acceleration of the train.

m s^{-2}

2 marks

On the floor next to Professor Calculus stands his suitcase. Its mass is 5 kg and it is at rest on the floor of the train.




Figure 5

Question 18

Draw and label on Figure 5 all of the forces acting on the suitcase during the time the train is accelerating.

2 marks

Question 19

Explain why, even though the case is at rest on the floor of the train, the net force on the case is not zero.

2 marks

END OF AREA OF STUDY 1

Area of study 2 –Wave-like properties of light

The following information relates to Questions 1 to 3.

A physics teacher is demonstrating some principles of light. She shines a laser beam on a small fish tank. A red spot is noticed on the whiteboard. This situation is shown in Figure 1.

Note: Diagram is not drawn to scale.




Figure 1

The angle of incidence is 38° .

Question 1

On Figure 1, draw in the reflected ray, and clearly indicate what the reflected angle is.

1 mark

Question 2

The teacher notices that there is a dot at the bottom of the water as shown in Figure 1.

Explain why this occurs. Assume the light does not pass through the bottom of the tank but can pass through the water.

2 marks

Question 3

The laser has a wavelength of 650 nm.

What is the colour of the laser and its frequency?

Hz

2 marks

The following information relates to Questions 4 to 9.

A physics student sets up a high-speed camera to take some photographic shots of a guitar string being plucked.

The shot is taken from the side, with P being a reference point on the string. At the point in time shown in the diagram below, P has reached its maximum height.

The measurements are taken from one end of the guitar string.




Figure 2

Question 4

What is the amplitude of the wave?

1 mark

Question 5

What is the wavelength of the wave?

2 marks

Question 6

Is this an example of a traverse or longitudinal wave? Explain your answer.

2 marks

Figure 3 shows the string 3 ms later. *P* is at the trough of the wave.




Figure 3

Question 7

What is the maximum possible period of the wave? Explain how you reached your answer.

s

2 marks

Question 8

What is the minimum possible frequency of the wave? Answer to the nearest whole number.

Hz

2 marks

Question 9

What is the minimum possible speed of the wave through the string?

m s^{-1}

2 marks

The following information relates to Questions 10 to 11.

Light can be made to stay within a column of water even though the water is not remaining straight, as shown in Figure 4.




Figure 4

Question 10

Explain how the light ray remains in the water column and does not continue through in a straight line as expected.

2 marks

A simplified view of the light ray and water column is shown in Figure 5.

Assume the light ray is travelling horizontally straight and makes an angle of 30° with the water column boundary as shown (which is assumed to be straight as well).




Figure 5

Question 11

Show, with calculations, why the light ray remains inside the water, given the refractive index of water is 1.33 and air is 1.00.

3 marks

This following information relates to Questions 12 and 13.

‘Models’ are used by science as a means of explaining how things work. In the 1600s there was debate as to which model better represented the behaviour of light. Isaac Newton favoured the particle model, while Christian Huygen (a Dutch physicist) favoured the wave model.


Question 12

Which of the choices below best summarises the weakness in of one of the models in explaining some of the observed light phenomena?

- A. The particle model could explain refraction but not reflection
- B. The particle model could explain reflection but not refraction
- C. The wave model could explain refraction but not reflection
- D. The wave model could explain reflection but not refraction

2 marks

Olivia and Simone set up two laser beams that will cross over each other, as shown below.



Question 13

Explain, using the particle model, what the predicted behaviour should be.

2 marks

Angelica and Emily discover two old filters at the back of a physics lab. They test some of the filters' optical properties, and when they hold them up to the light they can see clearly through both strips. When one of the filters is rotated by 90° , a dark patch is seen where they overlap, as shown in Figure 6.



Figure 6

Question 14

Emily says the light passing through the filters is undergoing 'dispersion', while Angelica believes the light is undergoing 'polarisation'.

Explain who is correct.

3 marks

END OF AREA OF STUDY 2

SECTION B – DETAILED STUDIES

Instructions for Section B

Select **one** Detailed study.

Answer **all** the questions on the Detailed study you have chosen, in pencil, on the answer sheet provided for multiple-choice questions.

Choose the response that is **correct** or that **best answers** the question.

A correct answer scores 2, an incorrect answer scores 0.

Marks will **not** be deducted for incorrect answers.

No marks will be given if more than one answer is completed for any question.

You should take the value of g to be 10 m s^{-2}

Detailed study	Page
Detailed study 1: Astronomy	17
Detailed study 2: Astrophysics	21
Detailed study 3: Energy from the nucleus	25
Detailed study 4: Investigations: Flight	29
Detailed study 5: Investigations: Sustainable energy sources	33
Detailed study 6: Medical physics	37

Detailed study 1 – Astronomy

The following information relates to this Detailed study.

Melbourne's geographical position:

- Latitude -38°
- Longitude 145°

Question 1

When the sun sets exactly due west, the best estimates for the sun's altitude–azimuth would be

- A. altitude 90° ; azimuth 90° .
- B. altitude 0° ; azimuth 270° .
- C. altitude 180° ; azimuth 0° .
- D. altitude 0° ; azimuth 90° .

Question 2

On 23 September, a star spotted directly overhead in the Melbourne sky at midnight would have a declination of

- A. 0° .
- B. 90° .
- C. -38° .
- D. 52° .

Question 3

A star is observed to have the following co-ordinates:

- Right ascension 4 h, 23 min
- Declination 15°


The same star is now observed four hours later.

Its coordinates will now be

- A. 8 h, 23 min, 15° .
- B. 4 h, 23 min, 15° .
- C. 0 h, 23 min, 15° .
- D. 4 h, 23min, 19° .

Question 4

The diagram shown below represents which one of the following cosmological systems? (Not all planets are shown.)



- A. Aristotle's
- B. Ptolomeic
- C. Copernican
- D. Kepler's

Question 5

Mars sometimes shows retrograde motion.

Which of the following is the best explanation of this observation?

- A. Mars turns on its own small epicycle in addition to its own solar orbit.
- B. Mars sometimes moves backwards while it goes around the Sun.
- C. As seen from Earth, Mars only moves in one direction.
- D. The Earth orbits faster, so Mars seems to go backward as Earth overtakes it.

Question 6

Venus shows phases, just like our Moon does. Two of the following four statements can be combined to explain why the phases of Venus occur.

1. The Sun illuminating only one half of Venus' surface at any one time.
2. The Sun illuminating a different portion of Venus' surface at different times.
3. Venus' rotation around the Sun causes the amount of shade on Venus to change.
4. Venus' rotation around the Sun causes us to see Venus from differing directions.

Which **two** statements can be used to explain the phases of Venus?

- A. statements 1 and 2
- B. statements 2 and 3
- C. statements 1 and 4
- D. statements 3 and 4

Question 7

The image below has been going around the internet for quite a few years. It supposedly shows the setting Sun, and the Moon just above it, as seen from somewhere in the arctic.



It is possible to tell that it is not a real photo because

- A. the Moon should be full.
- B. the Sun should be above the Moon.
- C. the Sun and Moon should appear as nearly the same size from Earth.
- D. the Sun should be bigger than the Moon as seen from Earth.

Question 8

Which two planets in our solar system were discovered after the invention of the optical telescope?

- A. Mercury and Uranus
- B. Neptune and Jupiter
- C. Saturn and Mars
- D. Neptune and Uranus

Question 9

The largest telescopes in use today are radio telescopes.

Which of the following best explains why these telescopes need to be very large?

- A. The radio signals they detect have extremely low energy.
- B. The radio signals they detect have extremely high energy.
- C. The radio signals they detect have extremely short wavelengths.
- D. The radio signals they detect have extremely high frequencies.


Question 10

Galileo's telescopic observations of the Moon and the planets were important because they showed that

- A. planets and moons of the solar system are very different to Earth.
- B. planets and moons of the solar system are perfect spheres.
- C. planets and moons of the solar system are in many ways quite similar to Earth.
- D. planets and moons of the solar system all revolve around the Sun.

Question 11

The graph below shows the difference in hours between sunset and the setting of both Venus and Mercury.



The two conclusions you can draw from the data are that

- A. Mercury is smaller than Venus; Mercury has a smaller orbital period than Venus.
- B. Mercury has a greater orbital radius than Venus; Mercury has a smaller orbital period than Venus.
- C. Mercury is smaller than Venus; Mercury has a smaller orbital radius than Venus.
- D. Mercury has a smaller orbital radius than Venus; Mercury has a smaller orbital period than Venus.

Question 12

Astronomers spend billions of dollars to put telescopes into space.

Which one of the following best explains why is it important to be able to make observations from space?

- A. Certain kinds of EM radiation cannot pass through our atmosphere.
- B. Our atmosphere causes distortions to the starlight.
- C. The atmosphere partially absorbs some of the energy from the signals astronomers want to observe.
- D. All of the above are good reasons for using space-based telescopes.

END OF DETAILED STUDY 1 – ASTRONOMY

Detailed study 2 – Astrophysics**Question 1**

In terms of astronomical distances, the one that covers the longest distance is the

- A. Giga-metre (Gm).
- B. Astronomical Unit (AU).
- C. light-year (ly).
- D. parsec (pc).

The following information relates to Questions 2 and 3.

The Sun is the closest star to our planet. It is made of various layers, some of which are shown in Figure 1.
Note: Figure 1 is not drawn to scale and is only to provide a representation.




Figure 1

Question 2

The layer which produces the majority of the visible light that reaches the Earth is the

- A. core.
- B. photosphere.
- C. chromosphere.
- D. corona.

Question 3

Which of the following is one of the principal reactions that take place in the core of the Sun?

- A. hydrogen + hydrogen \rightarrow helium
- B. hydrogen + carbon \rightarrow nitrogen
- C. helium + helium \rightarrow beryllium
- D. neutron + plutonium \rightarrow barium + strontium + neutrons

Question 4

One way of measuring the temperature of the star is by analysing its visible spectrum.

A hotter star, when compared to a cooler one, will have more radiation in which part of the visible spectrum?

- A. yellow-green
- B. Both will have the same visible spectrum.
- C. red part of spectrum
- D. blue part of spectrum

Question 5

The energy received on Earth from the Sun is an average 1370 W m^{-2} (Watts per square metre).

Given the Earth is 150 million kilometres from the Sun, the total energy given off by the Sun is

- A. 1370 W.
- B. $2.6 \times 10^{15} \text{ W}$.
- C. $3.9 \times 10^{26} \text{ W}$.
- D. $2.9 \times 10^{24} \text{ W}$.

The following information relates to Questions 6 to 8.

Astronomers often compare the hydrogen emission spectra of a distant star (similar in size and temperature) to that of the Sun. Only some of the spectra is shown and it is not to scale. The results are shown below.

Our Sun

Increasing wavelength (l) \longrightarrow



Distant Galaxy star

Increasing wavelength (l) \longrightarrow



Figure 2

Question 6

The shift in wavelength of the distant galaxy when compared to the Sun is known as

- A. hydrogen shift.
- B. resonance shift.
- C. blueshift.
- D. redshift.

Question 7

From this shift in wavelength it is possible to conclude that

- A. the distant galaxy was moving away from us.
- B. the distant galaxy was moving towards us.
- C. the distant galaxy was remaining stationary.
- D. we can not deduce anything from the wavelength shift.

Question 8

Data from distant galaxies also provides evidence that the universe's size in the past

- A. was static and unchanging.
 - B. was smaller.
 - C. was larger.
 - D. oscillated from small to large.
-

Question 9

Which one of the following statements is incorrect?

- A. The Milky-Way is an example of an elliptical galaxy.
 - B. Galaxies can contain hundreds of millions of stars.
 - C. A star emits electromagnetic radiation in the visible spectrum whereas a planet does not.
 - D. Galaxies can merge to form 'super' galaxies.
-

The following information relates to Questions 10 to 12.

The Hertzsprung–Russell (H–R) diagram is a very useful way of showing stellar information. One simplified H–R diagram is shown below.




Figure 3

Question 10

The Sun is most likely to be found in position

- A. A
- B. B
- C. C
- D. D

Question 11

Rigel and Betelgeuse are two stars (each has a • next to their name).

When comparing these two stars on an H–R diagram, which one of the following is correct?

- A. Betelgeuse has a cooler temperature than Rigel.
- B. Betelgeuse has the same temperature as Rigel.
- C. The H–R diagram provides no information to compare.
- D. Betelgeuse has a hotter temperature than Rigel.

Question 12

Both Betelgeuse and Rigel could be classified as

- A. White Dwarfs.
- B. Red Giants.
- C. Main Sequence.
- D. Super Giants.

END OF DETAILED STUDY 2 – ASTROPHYSICS

Detailed study 3 – Energy from the nucleus**Question 1**

A hydrogen atom is made up of a proton and an electron.

Which one of the following statements is incorrect?

- A. The electron orbits the nucleus.
- B. The radius of the electron orbit is thousands of times greater than the radius of the nucleus.
- C. The electron and proton are oppositely charged.
- D. The electron has the majority of the mass of the atom.

Question 2

The strong nuclear force works at the sub-atomic level and is needed to keep

- A. nucleons together.
- B. protons and electrons apart.
- C. protons and electrons together.
- D. nucleons apart.

Question 3

Consider the graph in Figure 1 which shows the potential energy changes as two light nuclei approach each other.




Figure 1

The correct forces acting at *A* and *B* are

- A. *A* = strong nuclear; *B* = electrostatic
- B. *A* = electrostatic; *B* = strong nuclear
- C. *A* = strong nuclear; *B* = strong nuclear
- D. *A* = electrostatic; *B* = electrostatic

Question 4


The Sun is a giant fusion machine, forcing light nuclei such as hydrogen together to form helium. Since both protons are positively charged they naturally repel each other.

The Sun overcomes this repulsion by having

- A. high pressure.
 - B. high density.
 - C. high temperature.
 - D. all of the above.
-

The following information relates to Questions 5 to 7.

One typical fission reaction that plutonium-239 can undergo is

**Question 5**

The number of neutrons (X) required to complete the reaction is

- A. 0.
- B. 1.
- C. 2.
- D. 3.

Question 6

This single reaction results in energy being released which has the mass equivalent of 3.07×10^{-28} kg.

How many of these reactions must occur to power a typical 80.0 Watt (J s^{-1}) light globe for just one minute?

- A. 2.9×10^{12}
- B. 1.7×10^{14}
- C. 2.8×10^{-11}
- D. 3.0×10^8

Question 7

The fission fragments, Ba and Sr, have mainly gained which type of energy?

- A. electrical
 - B. kinetic
 - C. potential
 - D. electromagnetic
-

Consider the graph in Figure 2 which shows the relationship between the number of neutrons and the number of protons in stable atomic nuclei.




Figure 2

Question 8

The graph that is **most** correct is

- A. A
- B. B
- C. C
- D. D

Question 9

When scientists worked on the first nuclear bomb they found that a flattened sheet of U-235 was subcritical and did not explode. The same mass, when made into a spherical shape, did explode.

The main reason the flat shape did not work was

- A. there was not enough mass present.
- B. the increased surface area allowed too many neutrons to escape.
- C. the flattened surface slowed down the speed of the nuclear reaction.
- D. the flattened surface allowed oxygen to penetrate the mass which interfered with the nuclear reaction.

Question 10

One key design difference between a thermal reactor and a fastbreed reactor is

- A. thermal reactors do not require a moderator while fastbreed reactors do.
- B. thermal reactors do not require control rods while fastbreed reactors do.
- C. thermal reactors do require control rods while fastbreed reactors do not.
- D. thermal reactors do require a moderator while fastbreed reactors do not.

Question 11

A slow-moving neutron is captured by a large atomic mass nucleus.

If the absorption of this neutron is sufficient to cause fission, then the nucleus was most likely

- A. U-235.
- B. Pu-239.
- C. U-238.
- D. Pu-244.

Question 12

Nuclear reactors produce different levels of radioactive waste.

Which waste most likely requires storage in water ponds due to the heat generated?

- A. low-level
- B. intermediate-level
- C. high-level
- D. None once they are put into storage containers.

END OF DETAILED STUDY 3 – ENERGY FROM THE NUCLEUS

Detailed study 4 – Investigations: Flight

The following information relates to Questions 1 to 3.

Figure 1 shows a commercial aircraft taking off from the ground.

It gains 300 m of altitude in 5.0 s. During this time the aircraft is flying at a constant velocity. The weight force on the aircraft is 2×10^6 N.




Figure 1

Question 1

Which of the following statements about this aircraft is correct?

- I Thrust is equal to drag.
 - II Weight is smaller than lift.
- A. Only I is correct.
B. Only II is correct.
C. Both I and II are correct.
D. Neither I nor II are correct.

Question 2

During take-off, the engines need to develop at least _____ of power.

- A. 6×10^8 W
B. 2×10^6 W
C. 1.2×10^8 W
D. 3×10^8 W

Question 3

After a short while the aircraft reaches cruising altitude. It now flies at a constant speed and altitude. The engines now provide 5×10^7 W of power and generate 2.0×10^5 N of thrust.

Under these circumstances the cruising speed must be

- A. 250 m s^{-1}
B. 25 m s^{-1}
C. 500 m s^{-1}
D. 100 m s^{-1}

Question 4

While cruising, the lift-to-drag ratio of the aircraft is

- A. 0.1.
- B. 1.
- C. 10.
- D. 100.

Question 5

There are several different sources of friction or drag that affect aircraft.

Which of the following can not be reduced by aircraft designers without partially sacrificing the aircraft's ability to generate lift?

- A. skin drag
- B. form drag
- C. parasite drag
- D. induced drag

The following information relates to Questions 6 to 9.

Some Physics students perform an experiment to investigate Bernoulli's Principle. The experimental set-up is shown in Figure 2.




Figure 2

Question 6

As the speed of the fan is increased, the reading on the force meter will

- A. increase.
- B. decrease.
- C. remain unchanged.
- D. decrease first, then increase.

Question 7

In this experiment the reading on the Newton (force) meter is

- A. the controlled variable.
- B. the dependent variable.
- C. the independent variable.
- D. none of the above

Question 8

The students now keep the fan speed constant but increase the angle of attack of the wing profile. Initially they see the lift force generated by the wing profile increasing.

Which of the students' hypotheses are correct?

- I The pressure above the wing profile becomes less compared to the pressure below.
 - II The moving air exerts a greater upward impulse on the wing profile.
- A. Only I is correct.
 - B. Only II is correct.
 - C. Both I and II are correct.
 - D. Neither I nor II are correct.

Question 9

As the angle of attack continues to be increased the lift force will

- A. continue to increase.
 - B. reach a constant maximum value.
 - C. will slowly decrease.
 - D. will quickly decrease beyond a critical angle.
-

Question 10

Each of the following changes will cause a plane to turn left or right.

For a plane to turn right the pilot should

- A. decrease the drag on the left wing.
 - B. increase the thrust from the right engine.
 - C. decrease the thrust from the left engine.
 - D. decrease the drag on the right wing.
-

The following information relates to Questions 11 and 12.

The plane in Figure 3 is cruising at a constant altitude. Both the wings and the tail provide lift. Lift force 1 (L_1) = 800 000 N, the mass of the plane is 1×10^5 kg. The plane is 60 m long




Figure 3

Question 11

Lift force L_2 must be equal to

- A. 2.0×10^5 N.
- B. 1.2×10^6 N.
- C. 8.0×10^5 N.
- D. 1.0×10^6 N.

Question 12

The plane is not rotating.

Which of the following is correct regarding the torques provided by L_1 and L_2 calculated about the plane's centre of mass?

- A. Torque from L_1 is greater than the torque from L_2 .
- B. Torque from L_1 is smaller than the torque from L_2 .
- C. Torque from L_1 is equal to the torque from L_2 .
- D. Torque from L_1 could be greater or smaller than the torque from L_2 .

END OF DETAILED STUDY 4 – INVESTIGATIONS: FLIGHT

Detailed study 5 – Investigations: Sustainable energy sources**Question 1**

A sustainable energy resource is one that we can continue to use for many years without ill effects for future generations. A renewable energy source is one that keeps topping itself up, and can therefore be used indefinitely.

Under these definitions, consider the following two forms of energy (hot rock geothermal and wind) and decide on the correct classifications.

	Hot Rock Geothermal	Wind
A.	sustainable only	renewable only
B.	sustainable and renewable	sustainable renewable
C.	renewable only	sustainable
D.	sustainable only	sustainable and renewable

The following information relates to Questions 2 to 5.

It has been shown that the energy available from waves on the south coast of Australia averages 120 kW m^{-1} .

Question 2

Given that our southern coastline is about 4000 km long, how much energy could we extract from waves assuming we could do this with 20% efficiency?

- A.** 96 MW
- B.** 96 GW
- C.** 480 KW
- D.** 480 GW

Question 3

The amount of energy potentially available from wave energy on the south coast of Australia is roughly equivalent to the amount generated by

- A.** much less than one coal fired power station.
- B.** one coal fired power station.
- C.** two or three coal fired power stations.
- D.** many coal fired power stations.

Question 4

The amount of wave power available at any one location varies a lot because

- A.** wave power is only available at night.
- B.** wave power depends on the height of the waves.
- C.** wave power depends on the tides.
- D.** wave power depends on the geography of the coastline.

Question 5


Given the current advice from scientists about the causes of global warming, wave power would be considered to be a more environmentally friendly alternative to fossil fuel use because

- A. it generates power for free.
- B. it is not going to run out soon.
- C. it is renewable.
- D. it does not generate carbon dioxide.

The following information relates to Questions 6 to 10.

Julia and Tony have been asked by their Physics teacher to design a small power generation system using a solar cell, an electric water pump and two containers of water.

The diagram below shows how Tony and Julia have set up their system.

**Question 6**

Which of the following sequences correctly describes the energy transformations taking place as the system is working?

- A. heat \rightarrow electrical energy \rightarrow kinetic energy \rightarrow gravitational energy
- B. light \rightarrow electrical energy \rightarrow hydro energy \rightarrow gravitational energy
- C. heat \rightarrow kinetic energy \rightarrow electric energy \rightarrow gravitational energy
- D. light \rightarrow electrical energy \rightarrow kinetic energy \rightarrow gravitational energy

Question 7

The solar cells are 12% efficient and have an area of 0.2 m^2 . The solar constant in Melbourne on the day of the experiment was 1000 W m^{-2} .

How much electrical power was delivered to the water pump?

- A. 24 W m^{-2}
- B. 24 W
- C. 120 W m^{-2}
- D. 120 W

Question 8

On a different day, 15 W of energy is coming from the solar cells. The water is pumped into the higher container at a rate of 30 g s^{-1} . The water surface in the higher container is 1.5 m above the lower container.

The efficiency of the pump is therefore

- A. 25%
- B. 30%
- C. 3.0%
- D. 2.5%

Question 9

Julia and Tony suggest that this system could be used to store energy, so that the system can provide electrical energy even when the sun is not shining.

To do this, which three more elements would they need to add to the system?

- A. a generator, a rechargeable battery and a motor
- B. a water turbine, a rechargeable battery and a motor
- C. a generator, a water turbine, and a rechargeable battery
- D. a water turbine, a pump and a generator

Question 10

If both water containers have the same dimensions and the capacity of the containers is 50 kg, what would be the maximum amount of energy that can be stored this way?

- A. 750 J
- B. 750 W
- C. 500 J
- D. 500 W

Question 11

A windmill can convert kinetic energy from the wind to electrical energy. The maximum power available from a wind turbine is thought to be proportional to v^3 , where v is the wind speed.

If the wind speed on Monday is twice that on Tuesday, the ratio

$$\frac{\text{electrical energy output on Monday}}{\text{electrical energy output on Tuesday}}$$

is likely to be

- A. 2
- B. 4
- C. 8
- D. 16

Question 12

Solar energy currently makes up only a small percentage of our total power use in Australia.

Which one of the following is **not** a reason why we use so little solar power?

- A. Solar power is currently quite expensive.
- B. Solar power does not deliver power at a constant rate.
- C. There is not enough solar energy available in Australia.
- D. Government support is needed to increase solar power use.

END OF DETAILED STUDY 5 – INVESTIGATIONS: SUSTAINABLE ENERGY SOURCES

Detailed study 6 – Medical Physics

The following information relates to Questions 1 and 2.

The ‘acoustic impedance’ of a medium is a measure of the material’s ability to allow the passage of a sound wave through it. It is usually calculated by the formula: $Z = \rho v$ where Z is the acoustic impedance ($\text{kg m}^{-2} \text{s}^{-1}$), ρ is the density of the medium (kg m^{-3}) and v is the velocity of sound in the medium.

Table 1 below indicates typical Z values.

Medium	Z
air	430
fat	1.38×10^6
soft tissue	1.63×10^6
muscle	1.70×10^6
bone	$5.6 - 7.8 \times 10^6$

Table 1

Question 1

Fat has a density of approximately 900 kg m^{-3} .

What is the speed at which an ultrasound travels through fat?

- A. $1.4 \times 10^6 \text{ m s}^{-1}$
- B. $1.2 \times 10^9 \text{ m s}^{-1}$
- C. $1.5 \times 10^3 \text{ m s}^{-1}$
- D. $6.5 \times 10^{-4} \text{ m s}^{-1}$

Question 2

The speed of an ultrasound is determined by the multiplication of its wavelength and frequency ($v = \lambda f$).

If the frequency is kept constant but the wavelength is shortened, then Z will

- A. decrease.
- B. increase.
- C. remain constant.
- D. increase then decrease.

The following information relates to Questions 3 and 4.


Scan A



Scan B



Scan C



Question 3

Scan A is most likely to be

- A. thermal (temperature).
- B. an ultrasound.
- C. an MRI.
- D. an X-ray.

Question 4

Scan C is most likely to be

- A. thermal (temperature).
- B. an ultrasound.
- C. an MRI.
- D. an X-ray.

Question 5

Safety precautions have to be taken with X-rays.

The use of X-rays is generally not recommended for

- A. elderly people.
- B. very young children.
- C. middle-aged males.
- D. pregnant females.

Question 6

Generally, X-rays are classified as one of two types, either 'soft' or 'hard'.

The difference between the two is

- A. penetrating power through the body.
- B. speed of X-ray.
- C. one is a form of electromagnetic radiation, the other is not.
- D. how they are produced.

The following information relates to Questions 7 and 8.

In nuclear medicine there is a difference in the radio-isotopes used for medical diagnostic (scanning) purposes and those used as an external source to treat tumours. Three radio-isotopes are listed below.

1. Iodine-131 undergoes β -decay (with low energy γ -emissions) and it has a radioactive half-life of 8 days.
2. Strontium-90 undergoes β -decay (with very little γ -emissions) and it has a half-life of 28.8 years.
3. Cobalt-60 is essentially a pure high-energy γ -emitter with a half-life of 5 years.

Question 7

From a medical diagnostic point of view, the best radioisotope to use would be

- A. Iodine-131.
- B. Strontium-90.
- C. Cobalt-60.
- D. all are adequate


Question 8

To treat a tumour with an external source, the best radioisotope to use would be

- A. Iodine-131.
- B. Strontium-90.
- C. Cobalt-60.
- D. all are adequate

The following information relates to Question 9.

All radioisotopes involve the use of unstable isotopes. Some of these unstable isotopes are made artificially. An example is Nitrogen-14 which is bombarded with deuterium (hydrogen-2) to produce oxygen-15. This unstable isotope of oxygen decays according to the following nuclear reaction:



Question 9

In which of the following diagnostic (scanning) devices would this reaction most likely appear?

- A. MRI
- B. ultrasound
- C. PET
- D. X-ray

Question 10

Most diagnostic equipment needs to be 'shielded'. In one case, a room is shielded because the diagnostic equipment can cause interference with electrical equipment.

The type of scanning is most likely to be

- A. MRI
- B. ultrasound
- C. PET
- D. X-ray

Question 11

An endoscope uses optical fibres to view the inside of a patient.

The light is able to travel through the endoscope by

- A. dispersion.
- B. total internal reflection.
- C. refraction.
- D. diffraction.

Question 12

When a surgeon looks through the eyepiece, they are receiving information from optical fibres. One 'bundle' of fibres provides illumination while another bundle is used to provide an image of inside the body.

Which of the following choices with regards to coherence is most correct?

	Illumination bundle	Image bundle
A.	non-coherent	non-coherent
B.	coherent	non-coherent
C.	coherent	coherent
D.	non-coherent	coherent

END OF QUESTION AND ANSWER BOOKLET